Construction Solutions

Spring and Rubber Acoustic Ceiling Hangers

Type ASH/ARH



A comprehensive range of rubber acoustic ceiling hangers, offering the designer a choice between low frequency vibration isolation or optimum performance at higher audible frequencies, if noise control is of paramount importance.

Design Features

- Colour coded helical steel springs to BS1726
 Class B with nominal deflections up to

 20 mm, laterally stable with 50% overload capacity.
- Rubber inserts for high frequency attenuation on Type ASH also prevent drop rod contacting hanger frame.
- Integral failsafe steel overload washers.
- All steel components are zinc plated.
- Capable of 15° angular misalignment.
- Rubber hangers have natural rubber elements with deflections up to 6 mm.

Typical Applications

Acoustic Ceilings.












Type ASH



TYPE ASH ACOUSTIC CEILING HANGERS

		RATED	DEFLECTION AT	DIMENSIONS (mm)						WT
PART No.	COLOUR CODE	LOAD	RATED LOAD	Α	В	(D	Е	F	(kg)
		(kg)	(mm)	Α	Ь	0	D	L	1	MAX
ASH20/10	PURPLE	10	20							
ASH20/15	YELLOW	15	20							
ASH20/20	GREY	20	20	155	60	40	55	M8	3	0.25
ASH20/40	GREEN	40	20							
ASH20/70	RED	70	20							


TYPE ARH ACOUSTIC CEILING HANGERS

Ī			RATED	DEFLECTION AT	DIMENSIONS (mm)						WT
I	PART No.	COLOUR CODE	LOAD	RATED LOAD	Α	В	С	D	Е	F	(kg)
l			(kg)	(mm)	, · ·	ם)	נ	_		MAX
I	ARH28	YELLOW	28	6							
I	ARH50	BLUE	50	6	155	41	40	55	M10	3	0.25
l	ARH80	RED	80	6							


E Dia Stud / Fixings
Not Supplied



Type ARH



Structural Force Attenuation of ASH and ARH Acoustic Ceiling
Hangers at rated load.



General Notes

- ASH and ARH are designed for use with MF7 Primary Channels or similar.
- Ø3 hole is provided in bracket to secure primary channels with suitable fixing (by others).

For more detailed information and technical assistance please contact our Technical Department.

In the interests of continual development, the Company reserves the right to make modifications to these details without notice.



Christie & Grey Ltd

Morley Road, Tonbridge, Kent TN9 1RA, England T: +44 (0)1732 371100 E: sales@christiegrey.com W: www.christiegrey.com

